04/05/2024

Linda Oakley
3777 29th AVE
Marion, IA 52302

Dear Child Care Provider:

This letter is in regards to the compliance visit at your Registered Child Development Home A conducted on 04/05/2024. Iowa Code Chapter 237A and 441 Iowa Administrative Code, Chapter 110, describes specific requirements that must be met by a Registered Child Development Home. You are not a participant in the voluntary Quality Rating and Improvement System. The following areas were out of compliance at the time of the visit:

441 IAC 110.8(1) **Facility Requirements**

441 IAC 110.8(1)" h" The home shall have at least one single-station, battery-operated, UL-approved smoke detector in each child-occupied room and at the top of every stairway. Each smoke detector shall be installed according to manufacturer's recommendations. The provider shall test each smoke detector monthly and keep a record of testing for inspection purposes

441 IAC 110.8(4) **Emergency Plans**

441 IAC 110.8(4) "a" Fire and tornado drills shall be practiced monthly and the provider shall keep documentation evidencing compliance with monthly practice on file for the current year and the previous year.

441 IAC 110.8(4) "b" The provider must have procedures in place for the following:

1. evacuation to safely leave the facility
2. relocation to a common, safe location after the evacuation
3. shelter-in-place to take immediate shelter where you are when it is unsafe to leave that location due to the emergent issue
4. lock down protocol to protect children and providers from an external situation
5. communication plan and plans for reunification with families
6. continuity of operations plans
7. Procedures to address the needs of individual children, including those with functional or access needs

1305 E. Walnut Street, Des Moines, IA 50319-0114

Findings:

An annual compliance check was completed on 4/5/24 and the following was out of compliance:

441 IAC 110.8(1)“h” The provider shall test each smoke detector monthly and keep a record of testing for inspection purposes.
Linda did not have any documentation of monthly testing of smoke detectors for this calendar year.

441 IAC 110.8(4) “a” Fire and tornado drills shall be practiced monthly and the provider shall keep documentation evidencing compliance with monthly practice on file for the current year and the previous year.
Linda did not have any documentation of monthly practice of fire and tornado drills for this calendar year.

441 IAC 110.8(4) “b” The provider must have procedures in place for the following:
evacuation to safely leave the facility
relocation to a common, safe location after the evacuation
shelter-in-place to take immediate shelter where you are when it is unsafe to leave that location due to the emergent issue
lock down protocol to protect children and providers from an external situation
communication plan and plans for reunification with families
continuity of operations plans
Procedures to address the needs of individual children, including those with functional or access needs.
Linda could not locate her emergency preparedness plan.

Suggestions/Recommendations:

A re-check is not needed at this time. Corrections need to be made by 4/26/24 and will be reviewed at the next annual compliance check.

I encourage you to work with Ashley Cram from Child Care Resource and Referral with any ongoing compliance or training needs.

Ashley can be reached at (563) 362-8224.

Thank you for your service in providing childcare in your community.

Corrective Action Required:

Linda needs to ensure she is testing her smoke detectors monthly and documenting it accordingly. This worker did provide her a form for documentation purposes.

Linda needs to ensure she is practicing fire and tornado drills monthly and documenting those accordingly. This worker did provide her a form for documentation purposes.

After this worker left her home Linda did locate her emergency preparedness plan and has already sent pictorial verification of that as requested.

Non-compliance with any of the mandated requirements listed above may lead to the cancellation or revocation of your Child Development Home Registration. Please take whatever steps are necessary to completely address each of the violations noted above. It is essential you correct all above-mentioned violations.

1305 E. Walnut Street, Des Moines, IA 50319-0114

Please do not hesitate to contact me at DHS at 319-429-0749 or cweber@dhs.state.ia.us if you have any questions regarding this letter.

Sincerely,

Christine Weber

Social Worker II

Sheila Aunspach

Social Work Supervisor

Always Remember:

Child Care Resource and Referral is an excellent resource for providers to access training options and support in your area. You can reach Child Care Resource and Referral at 877-216-8481

As you plan your future trainings to meet your 24 hours of training requirement, please remember that you can access the approved training by going to http://www.dhs.state.ia.us/Consumers/Child_Care/Professional_Development.html

You may also access training at: https://ccmis.dhs.state.ia.us/trainingregistry/

All providers need to maintain compliance with rules set out in Iowa Administrative Code, Chapter 110, which includes: 441 IAC 110.5(1): Check with the appropriate authorities to determine how the following local, state, or federal laws apply to you: • Zoning code • Building code • Fire code • Business license • State and federal income tax • Unemployment insurance • Worker's Compensation • Minimum wage and hour requirements • OSHA • Americans with Disabilities Act (ADA).