



Iowa Department of Human Services

Kim Reynolds
Governor

Adam Gregg
Lt. Governor

Kelly K. Garcia
Director

07/01/2020

Machell Chapin
521 S 6th ST
Burlington, IA 52601

Dear Child Care Provider:

This letter is in regards to the compliance visit at your Registered Child Development Home B conducted on 06/30/2020. Iowa Code Chapter 237A and 441 Iowa Administrative Code, Chapter 110, describes specific requirements that must be met by a Registered Child Development Home. Your home is rated a 4 on the voluntary Quality Rating and Improvement System. The following areas were out of compliance at the time of the visit:

441 IAC 110.7 **Provider Requirements**

441 IAC 110.8 Standards. Conditions in the home are safe, sanitary, and free of hazards.

441 IAC 110.8(2) **Use of Outdoor Space**

441 IAC 110.8(2) "a" A safe outdoor play area shall be maintained in good condition throughout the year. The play area shall be fenced off when located on a busy thoroughfare or near a hazard which may be injurious to a child, and shall have both sunshine and shade areas. The play area shall be kept free from litter, rubbish, and flammable materials and shall be free from contamination by drainage or ponding of sewage, household waste, or storm water.

441 IAC 110.8(3) **Medications and Hazardous Materials**

441 IAC 110.8(3) "a" All medicines and poisonous, toxic, or otherwise unsafe materials shall be secured from access by a child

441 IAC 110.8(4) **Emergency Plans**

441 IAC 110.8(4) Emergency Plans: plans in case of man-made or natural disaster shall be written and posted by the primary and secondary exits. The plans shall clearly map building evacuation routes and tornado and flood shelter areas.

Findings:

Machell needs to repair or replace Little Tikes slide with crack near bottom of slide; cover her grill on patio and pick up dog feces in her outdoor play area.

Machell needs to pick up medications from her kitchen counter tops and place in a child inaccessible area. This was taken care of during today's visit.

Machell needs to update her emergency plans for fire and tornado that are posted with her new floor layout.

Suggestions for Improvement:

Recommendation:

Based on the items out of compliance listed above, you will be required to have a recheck or follow up visit to your home either on or after 8/15/20.

[] Is the recommendation to terminate a provider agreement or revoke a registration?

Non-compliance with any of the mandated requirements listed above may lead to the cancellation or revocation of your Child Development Home Registration. Please take whatever steps are necessary to completely address each of the violations noted above. It is essential you correct all above-mentioned violations.

Based on the items out of compliance listed above, you will be required to have a recheck or follow up visit to your home.

Please do not hesitate to contact me at DHS at (319) 208-5521/creckli@dhs.state.ia.us if you have any questions regarding this letter.

Sincerely,

Chad Reckling

Social Worker II

Machelle Pezley

Social Work Supervisor

Always Remember:

Child Care Resource and Referral is an excellent resource for providers to access training options and support in your area. You can reach Child Care Resource and Referral at 563-324-3236

As you plan your future trainings to meet your 24 hours of training requirement, please remember that you can access the approved training by going to http://www.dhs.state.ia.us/Consumers/Child_Care/Professional_Development.html

You may also access training at: <https://ccmis.dhs.state.ia.us/trainingregistry/>

All providers need to maintain compliance with rules set out in Iowa Administrative Code, Chapter 110, which includes: 441 IAC 110.5(1): Check with the appropriate authorities to determine how the following local, state, or federal laws apply to you: • Zoning code • Building code • Fire code • Business license • State and federal income tax • Unemployment insurance • Worker's Compensation • Minimum wage and hour requirements • OSHA • Americans with Disabilities Act (ADA).